


Molette abrasive con gambo Abrasives grinders with shank Meules abrasifs avec tige




Differenti forme e misure sono fornibili su richiesta
Different forms and sizes are available upon request
Différentes formes et tailles sont fournies sur demande




Corindone / Corundum / Coridon

| | | |
|-----------------|-----------------------|----------------|
| 0838E/13 | ø 3,00 - 45,0 (L2) mm | fig 601 |
| 0838E/14 | ø 4,00 - 45,5 (L2) mm | fig 602 |
| 0838E/15 | ø 5,00 - 46,0 (L2) mm | fig 603 |




Corindone / Corundum / Coridon

| | | | |
|---------------------|----------------------------------|----------------|----------------|
| 0838G/612050 | ø 5,00 x 2,5 (L1) - 44,5 (L2) mm | α 53,0° | fig 612 |
|---------------------|----------------------------------|----------------|----------------|




Corindone / Corundum / Coridon

| | | |
|---------------------|----------------------------------|----------------|
| 0838G/618050 | ø 5,00 x 1,0 (L1) - 44,5 (L2) mm | fig 618 |
| 0838G/621060 | ø 6,00 x 1,0 (L1) - 44,5 (L2) mm | fig 621 |
| 0838G/622060 | ø 6,00 x 2,0 (L1) - 44,5 (L2) mm | fig 622 |
| 0838E/20 | ø 8,00 x 3,0 (L1) - 45,1 (L2) mm | fig 711 |
| 0838G/702095 | ø 9,50 x 1,5 (L1) - 45,1 (L2) mm | fig 702 |
| 0838E/21 | ø 9,50 x 3,0 (L1) - 45,1 (L2) mm | fig 712 |




Corindone / Corundum / Coridon

| | | |
|---------------------|----------------------------------|----------------|
| 0838G/620050 | ø 5,00 x 3,0 (L1) - 44,5 (L2) mm | fig 620 |
| 0838G/623060 | ø 6,00 x 3,0 (L1) - 44,5 (L2) mm | fig 623 |
| 0838G/624060 | ø 6,00 x 5,0 (L1) - 44,5 (L2) mm | fig 624 |




Corindone / Corundum / Coridon

| | | |
|---------------------|----------------------------------|----------------|
| 0838G/636025 | ø 2,50 x 4,0 (L1) - 44,5 (L2) mm | fig 636 |
| 0838G/637025 | ø 2,50 x 6,0 (L1) - 45,5 (L2) mm | fig 637 |
| 0838E/11 | ø 3,00 x 6,0 (L1) - 45,5 (L2) mm | fig 638 |



Corindone / Corundum / Coridon

| | | | |
|---------------------|-----------------------------------|----------------|----------------|
| 0838G/646018 | ø 1,80 x 3,0 (L1) - 45,0 (L2) mm | α 15,0° | fig 646 |
| 0838E/16 | ø 2,00 x 6,0 (L1) - 47,0 (L2) mm | α 9,5° | fig 648 |
| 0838E/17 | ø 2,50 x 6,0 (L1) - 46,0 (L2) mm | α 12,5° | fig 649 |
| 0838E/18 | ø 2,80 x 6,0 (L1) - 46,0 (L2) mm | α 12,5° | fig 650 |
| 0838E/19 | ø 3,30 x 6,0 (L1) - 46,0 (L2) mm | α 14,5° | fig 651 |
| 0838E/12 | ø 3,30 x 10,5 (L1) - 50,0 (L2) mm | α 7,0° | fig 652 |



Corindone / Corundum / Coridon

| | | |
|---------------------|----------------------------------|----------------|
| 0838G/626050 | ø 5,00 x 1,5 (L1) - 44,5 (L2) mm | fig 626 |
| 0838G/627060 | ø 6,00 x 1,5 (L1) - 44,5 (L2) mm | fig 627 |

Molette abrasive con gambo

Abrasives grinders with shank



Meules abrasifs avec tige



Differenti forme e misure sono fornibili su richiesta

Different forms and sizes are available upon request


Différentes formes et tailles sont fournies sur demande



Corindone / Corundum / Coridon

0838G/667040 | \varnothing 4,00 x 7,0 (L1) - 48,0 (L2) mm

fig 667



Corindone / Corundum / Coridon

0838G/661030 | \varnothing 3,00 x 6,5 (L1) - 48,0 (L2) mm


fig 661

0838G/663050 | \varnothing 5,00 x 9,5 (L1) - 49,0 (L2) mm

fig 663

0838E/24 | \varnothing 5,00 x 11,0 (L1) - 49,5 (L2) mm

fig 759



Corindone / Corundum / Coridon

0838G/631055 | \varnothing 5,50 x 1,2 (L1) - 44,5 (L2) mm

fig 631

0838G/632065 | \varnothing 6,50 x 1,3 (L1) - 44,5 (L2) mm


fig 632

0838E/10 | \varnothing 8,50 x 1,7 (L1) - 44,5 (L2) mm

fig 633

0838G/721125 | \varnothing 12,50 x 2,1 (L1) - 44,7 (L2) mm


fig 721



ALOX (Al₂O₃)

0838G/B649R025 | \varnothing 2,50 x 6,0 (L1) - 47,5 (L2) mm α 12,4°

fig B649R



Carburo di Silicio / Silicon carbide / Carbure de Silicium

0838G/V601030 | \varnothing 3,00 - 45,0 (L2) mm


fig 601

0838G/V602040 | \varnothing 4,00 - 45,5 (L2) mm

fig 602

0838G/V603050 | \varnothing 5,00 - 46,0 (L2) mm


fig 603



Carburo di Silicio / Silicon carbide / Carbure de Silicium

0838G/V648020 | \varnothing 2,00 x 6,0 (L1) - 47,5 (L2) mm α 9,5°


fig 648



Carburo di Silicio / Silicon carbide / Carbure de Silicium

0838G/V638030 | \varnothing 3,00 x 6,0 (L1) - 47,0 (L2) mm

fig 638



Carburo di Silicio / Silicon carbide / Carbure de Silicium

0838G/V633085 | \varnothing 8,50 x 2,0 (L1) - 48,5 (L2) mm

fig 633

Molette abrasive con gambo


Abrasives grinders with shank

Meules abrasifs avec tige

Differenti forme e misure sono fornibili su richiesta

Different forms and sizes are available upon request

Différentes formes et tailles sont fournies sur demande



Corindone / Corundum / Coridon

| | | | |
|----------------|--------------------|----------------|---------------------|
| 0832/10 | ø 3,0 x 7 (L1) mm | 0832/43 | ø 8,0 x 8 (L1) mm |
| 0832/11 | ø 4,0 x 8 (L1) mm | 0832/20 | ø 8,0 x 10 (L1) mm |
| 0832/12 | ø 5,0 x 8 (L1) mm | 0832/21 | ø 8,0 x 12 (L1) mm |
| 0832/13 | ø 5,0 x 10 (L1) mm | 0832/25 | ø 10,0 x 10 (L1) mm |
| 0832/14 | ø 6,0 x 8 (L1) mm | 0832/26 | ø 10,0 x 15 (L1) mm |
| 0832/15 | ø 6,0 x 10 (L1) mm | 0832/29 | ø 12,0 x 20 (L1) mm |
| 0832/16 | ø 6,0 x 15 (L1) mm | 0832/50 | ø 13,0 x 20 (L1) mm |
| 0832/17 | ø 7,0 x 7 (L1) mm | 0832/31 | ø 15,0 x 20 (L1) mm |
| 0832/42 | ø 7,0 x 10 (L1) mm | 0832/52 | ø 20,0 x 15 (L1) mm |



Corindone / Corundum / Coridon

| | | | |
|-----------------|--------------------|-----------------|---------------------|
| 0832A/10 | ø 5,0 x 7 (L1) mm | 0832A/22 | ø 10,0 x 15 (L1) mm |
| 0832A/11 | ø 6,0 x 10 (L1) mm | 0832A/27 | ø 10,0 x 18 (L1) mm |
| 0832A/28 | ø 8,0 x 8 (L1) mm | 0832A/23 | ø 12,0 x 18 (L1) mm |
| 0832A/12 | ø 8,0 x 10 (L1) mm | 0832A/24 | ø 15,0 x 15 (L1) mm |
| 0832A/13 | ø 8,0 x 12 (L1) mm | 0832A/18 | ø 15,0 x 20 (L1) mm |



Corindone / Corundum / Coridon

| | | | |
|-----------------|----------|-----------------|-----------|
| 0832B/09 | ø 3,0 mm | 0832B/13 | ø 7,0 mm |
| 0832B/10 | ø 4,0 mm | 0832B/14 | ø 8,0 mm |
| 0832B/11 | ø 5,0 mm | 0832B/15 | ø 9,0 mm |
| 0832B/12 | ø 6,0 mm | 0832B/16 | ø 10,0 mm |




Corindone / Corundum / Coridon

| | | | |
|----------------|--------------------|----------------|--------------------|
| 0832C/1 | ø 10,0 x 3 (L1) mm | 0832C/2 | ø 12,0 x 6 (L1) mm |
|----------------|--------------------|----------------|--------------------|



Corindone / Corundum / Coridon

| | | |
|------------------|--------------------|---------------------------------------|
| 0832E/1 | ø 4,0 x 8 (L1) mm | cilindro / cylinder / cylindre |
| 0832E/2 | ø 6,0 x 7 (L1) mm | cilindro / cylinder / cylindre |
| 0832E/3 | ø 10,0 x 3 (L1) mm | cilindro / cylinder / cylindre |
| 0832F/2 | ø 5,0 x 7 (L1) mm | cono / cone / cône |
| 0832FP/03 | ø 3,0 mm | palla / round / ronde |
| 0832FP/04 | ø 4,0 mm | palla / round / ronde |
| 0832FP/05 | ø 5,0 mm | palla / round / ronde |
| 0832FP/06 | ø 6,0 mm | palla / round / ronde |
| 0832FP/07 | ø 7,0 mm | palla / round / ronde |
| 0832FP/08 | ø 8,0 mm | palla / round / ronde |
| 0832FP/09 | ø 9,0 mm | palla / round / ronde |
| 0832FP/10 | ø 10,0 mm | palla / round / ronde |



Carburo di Silicio / Silicon carbide / Carbure de Silicium

| | | |
|----------------|--------------------|---------------------------------------|
| 0832G/1 | ø 3,0 x 10 (L1) mm | cilindro / cylinder / cylindre |
| 0832H/2 | ø 5,0 x 10 (L1) mm | cono / cone / cône |
| 0832I/1 | ø 3,0 mm | palla / round / ronde |

Molette abrasive Abrasives grinders Meules abrasifs



Moletta nera (SiC), grana grossa, foro ø 1,75 mm
Black grinder (SiC), coarse grit, ø of centre hole 1.75 mm
Meule noire (SiC), grain gros, non-monté alésage ø 1,75 mm

| | | | | | |
|----------------|----------------------|----------------|----------------------|----------------|----------------------|
| 0838/24 | ø 13 x 2,4 mm (0815) | 0838/19 | ø 16 x 4,8 mm (0810) | 0838/14 | ø 22 x 3,1 mm (0805) |
| 0838/23 | ø 13 x 3,1 mm (0814) | 0838/18 | ø 19 x 2,4 mm (0809) | 0838/13 | ø 22 x 4,8 mm (0804) |
| 0838/22 | ø 13 x 4,8 mm (0813) | 0838/17 | ø 19 x 3,1 mm (0808) | 0838/12 | ø 25 x 2,4 mm (0803) |
| 0838/21 | ø 16 x 2,4 mm (0812) | 0838/16 | ø 19 x 4,8 mm (0807) | 0838/11 | ø 25 x 3,1 mm (0802) |
| 0838/20 | ø 16 x 3,1 mm (0811) | 0838/15 | ø 22 x 2,4 mm (0806) | 0838/10 | ø 25 x 4,8 mm (0801) |



Moletta "Busch Hitzlos" verde (SiC), grana media, foro ø 1,75 mm
"Busch Hitzlos" green grinder, medium grit (SiC), ø of centre hole 1.75 mm
Meule "Busch Hitzlos" verte (SiC), grain moyen, non-monté alésage ø 1,75 mm

| | | | | | |
|-----------------|---------------------|-----------------|---------------------|-----------------|---------------------|
| 0838D/10 | ø 13 x 2,0 mm (761) | 0838D/12 | ø 19 x 2,0 mm (771) | 0838D/18 | ø 22 x 3,0 mm (777) |
| 0838D/15 | ø 13 x 3,0 mm (762) | 0838D/17 | ø 19 x 3,0 mm (772) | 0838D/23 | ø 22 x 4,5 mm (778) |
| 0838D/11 | ø 16 x 2,0 mm (766) | 0838D/22 | ø 19 x 4,5 mm (773) | 0838D/19 | ø 25 x 3,0 mm (782) |
| 0838D/16 | ø 16 x 3,0 mm (767) | 0838D/13 | ø 22 x 2,0 mm (776) | 0838D/24 | ø 25 x 4,5 mm (783) |




Moletta "Busch Silent" verde (SiC), grana fine, foro ø 1,75 mm
"Busch Silent" green grinder, fine grit (SiC), ø of centre hole 1.75 mm
Meule "Busch Silent" vert (SiC), grain fin, non-monté alésage ø 1,75 mm

| | | | | | |
|-----------------|---------------------|-----------------|---------------------|-----------------|---------------------|
| 0838C/10 | ø 13 x 2,0 mm (761) | 0838C/21 | ø 16 x 4,5 mm (768) | 0838C/18 | ø 22 x 3,0 mm (777) |
| 0838C/15 | ø 13 x 3,0 mm (762) | 0838C/12 | ø 19 x 2,0 mm (771) | 0838C/23 | ø 22 x 4,5 mm (778) |
| 0838C/20 | ø 13 x 4,5 mm (763) | 0838C/17 | ø 19 x 3,0 mm (772) | 0838C/14 | ø 25 x 2,0 mm (781) |
| 0838C/11 | ø 16 x 2,0 mm (766) | 0838C/22 | ø 19 x 4,5 mm (773) | 0838C/19 | ø 25 x 3,0 mm (782) |
| 0838C/16 | ø 16 x 3,0 mm (767) | 0838C/13 | ø 22 x 2,0 mm (776) | 0838C/24 | ø 25 x 4,5 mm (783) |



0836B/01 | **Assortimento di molette e dischi (1011) composto da 141 pezzi (vedi foto)**
Assortment of grinders and discs (1011) comprising 141 pieces (see photo)
Assortiment de meules et disques (1011) composé de 141 pièces (voir photo)



Ruote e molette smeriglio

Emery wheels and grinders

Roues et meules émeri

Ruota a elementi lamellari di tela smeriglio, gambo ø 3 mm, grana (vedi sotto)

Wheel with lamellar elements in emery cloth, 3 mm ø shaft, grit (see below)

Roue à éléments laminaires de toile émeri, tige ø 3 mm, grain (voir ci-dessous)



| | | | | | |
|-----------------|-------------|---------------|-----------------|--------------|---------------|
| 0932B/01 | ø 30 x 5 mm | gr. 100 | 0932A/01 | ø 30 x 10 mm | gr. 100 |
| 0932B/02 | ø 30 x 5 mm | gr. 120 | 0932A/02 | ø 30 x 10 mm | gr. 120 |
| 0932B/03 | ø 30 x 5 mm | gr. 150 | 0932A/03 | ø 30 x 10 mm | gr. 150 |
| 0932B/04 | ø 30 x 5 mm | gr. 180 | 0932A/04 | ø 30 x 10 mm | gr. 180 |
| 0932B/05 | ø 30 x 5 mm | gr. 220 | 0932A/05 | ø 30 x 10 mm | gr. 220 |
| 0932B/06 | ø 30 x 5 mm | gr. 240 | 0932A/06 | ø 30 x 10 mm | gr. 240 |
| 0932B/08 | ø 30 x 5 mm | gr. 320 | 0932A/08 | ø 30 x 10 mm | gr. 320 |

Mandrini ad espansione, porta nastri smeriglio, gambo ø 3 mm

Expansion belt holder and grinding belts, 3 mm ø shaft

Mandrin expansion porte ruban abrasive, tige ø 3 mm

grana

grit

grain



| | | |
|-------------------|--|---------------|
| 0934/13 | ø 10 x 20 mm, mandrino / belt holder / mandrin | |
| 0934A/1310 | ø 10 x 20 mm, nastro / belt / ruban | gr. 100 |
| 0934A/1312 | ø 10 x 20 mm, nastro / belt / ruban | gr. 120 |
| 0934A/1315 | ø 10 x 20 mm, nastro / belt / ruban | gr. 150 |
| 0934A/1318 | ø 10 x 20 mm, nastro / belt / ruban | gr. 180 |
| 0934A/1322 | ø 10 x 20 mm, nastro / belt / ruban | gr. 220 |
| 0934A/1324 | ø 10 x 20 mm, nastro / belt / ruban | gr. 240 |
| 0934A/1328 | ø 10 x 20 mm, nastro / belt / ruban | gr. 280 |
| 0934A/1332 | ø 10 x 20 mm, nastro / belt / ruban | gr. 320 |
| 0934A/1336 | ø 10 x 20 mm, nastro / belt / ruban | gr. 360 |
| 0934A/1340 | ø 10 x 20 mm, nastro / belt / ruban | gr. 400 |
| 0934A/1350 | ø 10 x 20 mm, nastro / belt / ruban | gr. 500 |
| 0934A/1360 | ø 10 x 20 mm, nastro / belt / ruban | gr. 600 |
| 0934/138 | ø 10 x 40 mm mandrino / belt holder / mandrin | |
| 0934AA/03 | ø 10 x 40 mm, nastro / belt / ruban | gr. 150 |
| 0934AA/04 | ø 10 x 40 mm, nastro / belt / ruban | gr. 180 |
| 0934AA/05 | ø 10 x 40 mm, nastro / belt / ruban | gr. 220 |
| 0934AA/06 | ø 10 x 40 mm, nastro / belt / ruban | gr. 240 |
| 0934AA/07 | ø 10 x 40 mm, nastro / belt / ruban | gr. 280 |
| 0934AA/08 | ø 10 x 40 mm, nastro / belt / ruban | gr. 320 |
| 0934AA/09 | ø 10 x 40 mm, nastro / belt / ruban | gr. 360 |
| 0934AA/10 | ø 10 x 40 mm, nastro / belt / ruban | gr. 400 |




Mandrino ad espansione, porta nastri smeriglio, gambo ø 6 mm

Expansion belt holder and grinding belts, 6 mm ø shaft

Mandrin expansion porte ruban abrasive, tige ø 6 mm

| | |
|-----------------|---|
| 0934/33 | ø 60 x 30 mm mandrino / belt holder / mandrin |
| 0934A/33 | ø 60 x 30 mm nastro smeriglio / grinding belt / ruban abrasif |



0768H/1 Moletta smeriglio grana grossa, ø 25 x 5 mm, gambo ø 3 mm

Coarse grit emery grinder, ø 25 x 5 mm, 3 mm ø shaft

Meule à émeri, grain gros, ø 25 x 5 mm, tige ø 3 mm



| | |
|------------------|---|
| 0935P/320 | Moletta smeriglio in poliuretano, ø 15 x 20 mm, gambo ø 3 mm..... grana 150 |
| | Polyurethane grinder, ø 15 x 20 mm, 3 mm ø shaft..... grit = 150 |
| | Meule à émeri en polyuréthane, ø 15 x 20 mm, tige ø 3 mm..... grain = 150 |