

Molette sintetiche


Synthetic grinders

Meules synthétique

(Differenti misure e materiali sono fornibili su richiesta)

(Different sizes and material are available on request)

(Différentes tailles et matériel sont fournies sur demande)




Molette "N" lentiforme, senza gambo (foro ø 1,75 mm)

"N" lentiform grinders, without shaft (ø 1,75 mm hole)

Meules "N" lentiformes, sans tige (trou ø 1,75 mm)

0835B/L31B2N	ø 16 x 3,0 mm, (L31B2N) verde / green / vert	R.P.M. 20.000 1/min
0835B/L41B2N	ø 22 x 3,7 mm, (L41B2N) verde / green / vert	R.P.M. 20.000 1/min
0835B/L31SBU	ø 16 x 3,0 mm, (L31SBU) rossa / red / rouge.....	R.P.M. 20.000 1/min
0835B/L41SBU	ø 22 x 3,7 mm, (L41SBU) rossa / red / rouge.....	R.P.M. 20.000 1/min
0835B/L31S1A	ø 16 x 3,0 mm, (L31S1A) blu / blue / bleu	R.P.M. 20.000 1/min
0835B/L41S1A	ø 22 x 3,7 mm, (L41S1A) blu / blue / bleu	R.P.M. 20.000 1/min
0835B/L41SPG	ø 22 x 3,7 mm, (L41SPG) gialla / yellow / jaun.....	R.P.M. 20.000 1/min
0835B/L41S1K	ø 22 x 3,7 mm, (L41S1K) bianca / white / blanc.....	R.P.M. 20.000 1/min




Molette "N" a ruota, senza gambo (foro ø 1,75 mm)

"N" wheel grinders, without shaft (ø 1,75 mm hole)

Meules "N" à roue, sans tige (trou ø 1,75 mm)

0835B/R32C2B	ø 16 x 1,0 mm, (R32C2B) marrone / brown / brun	R.P.M. 15.000 1/min
0835B/R42C2B	ø 22 x 1,0 mm, (R42C2B) marrone / brown / brun	R.P.M. 15.000 1/min
0835B/R35S1A	ø 16 x 3,0 mm, (R35S1A) blu / blue / bleu	R.P.M. 20.000 1/min
0835B/R45S1A	ø 22 x 3,0 mm, (R45S1A) blu / blue / bleu	R.P.M. 20.000 1/min
0835B/R36SBU	ø 16 x 3,0 mm, (R36SBU) rossa / red / rouge	R.P.M. 20.000 1/min
0835B/R46SBU	ø 22 x 3,0 mm, (R46SBU) rossa / red / rouge	R.P.M. 20.000 1/min
0835B/R36SDB	ø 16 x 3,0 mm, (R36SDB) bianca / white / blanc	R.P.M. 20.000 1/min
0835B/R36SK1	ø 16 x 3,0 mm, (R36SK1) grigia / grey / gris	R.P.M. 20.000 1/min
0835B/R46SK1	ø 22 x 3,7 mm, (R46SK1) grigia / grey / gris	R.P.M. 20.000 1/min
0835B/R42N3C	ø 22 x 1,0 mm, (R42N3C) marrone / brown / brun	R.P.M. 10.000 1/min
0835B/R46SPG	ø 22 x 3,0 mm, (R46SPG) gialla / yellow / jaune	R.P.M. 20.000 1/min



Molette "N" a cilindretto, senza gambo

"N" cylinder grinders, without shaft

Meules "N" à petit cylindre, sans tige

0835B/C12SPG	ø 6 x 23 mm, (C12SPG) gialla / yellow / jaune	R.P.M. 20.000 1/min
0835B/C12U1D	ø 6 x 23 mm, (C12U1D) bianca / white / blanc	R.P.M. 15.000 1/min




Molette speciali, senza gambo, grana: M=media, F=fine

Special grinders, without shaft, grit: M=medium, F=fine

Meules spécial, sans tige, grain: M=moyen, F=fin

0835A/460	ø 12 x 8,0 mm, a tazza / cup / à godet.....	gr. M
0835A/440	ø 6,0 x 25 mm, a ogiva / ogive / à ogive	gr. F



Molette a coppetta, grana: M=media, F=fine, VF=finissima


Cup-shaped grinders, grit: M=medium, F=fine, VF=very-fine

Meules a coupe, grain: M=moyen, F=fin, VF=extra-fin

0833L/50	ø 7,0 x 10 mm, (PK4H) grigio / grey / gris	gr. M
0833L/51	ø 7,0 x 10 mm, (PK9H) blu / blue / blue	gr. F
0833L/52	ø 7,0 x 10 mm, (PK14H) grigio chiaro / light grey / gris clair.....	gr. VF


Molette impasto gomma Rubber compound grinders Meules mélange caoutchouc

(differenti misure e grane sono fornibili su richiesta)
(different sizes and grits are available on request)
(différentes formes et tailles sont fournies sur demande)




Molette lentiforme, senza gambo, grana: G=grossa, F=fine, VF=finissima Lentiform grinders, without shaft, grit: G=coarse, F=fine, VF=very-fine Meules lentiformes, sans tige, grain: G=gros, F=fin, VF=extra-fin

0836/20	ø 16 mm, (4941) nera / black / noir.....(SiC) gr. G
0836A/41	ø 22 mm, (4940) nera / black / noir.....(SiC) gr. G
0835/1	ø 16 mm, (4971) rossa / red / rouge.....(SiC) gr. F
0836A/44	ø 22 mm, (4970) rossa / red / rouge.....(SiC) gr. F
0835/2	ø 16 mm, (4981) bianca / white / blanc.....(Al ₂ O ₃) gr. VF
0836A/45	ø 22 mm, (4980) bianca / white / blanc.....(Al ₂ O ₃) gr. VF
0836/11	ø 22 mm, (6514) blu / bleu / bleu.....(SiC) gr. VF




Molette a disco, senza gambo, grana: G=grossa, M=media, F=fine, VF=finissima Disk grinders, without shaft, grit: G=coarse, M=medium, F=fine, VF=very-fine Meules à disque, sans tige, grain: G=gros, M=moyen, F=fin, VF=extra-fin

0836A/19	ø 22 x 1,0 mm, (5989) marrone / brown / marron.....(Al ₂ O ₃) gr. G
0836A/20	ø 22 x 1,0 mm, (5990) nera / black / noir.....(SiC) gr. G
0836A/21	ø 22 x 1,0 mm, (5991) verde / green / vert.....(SiC) gr. M
0836A/23	ø 22 x 1,0 mm, (5993) rossa / red / rouge.....(SiC) gr. F
0836A/24	ø 22 x 1,0 mm, (5994) bianca / white / blanc.....(Al ₂ O ₃) gr. VF
0836/135	ø 15 x 0,8 mm, (6515) blu / bleu / bleu.....(SiC) gr. VF
0836/13	ø 15 x 1,5 mm, (6511) blu / bleu / bleu.....(SiC) gr. VF




Molette a ruota, senza gambo, grana: G=grossa, M=media, F=fine, VF=finissima Wheel grinders, without shaft, grit: G=coarse, M=medium, F=fine, VF=very-fine Meules à roue, sans tige, grain: G=gros, M=moyen, F=fin, VF=extra-fin

0836A/10	ø 22 x 3,0 mm, (5010) marrone / brown / marron.....(Al ₂ O ₃) gr. G
0836A/01	ø 22 x 3,0 mm, (5000) nera / black / noir.....(SiC) gr. G
0836/30	ø 22 x 3,1 mm, (5370) nera / black / noir.....(SiC) gr. G
0836A/02	ø 22 x 3,0 mm, (5001) verde / green / vert.....(SiC) gr. M
0836A/04	ø 22 x 3,0 mm, (5004) blu scuro / dark bleu / bleu.....(SiC) gr. F
0836A/07	ø 22 x 3,0 mm, (5007) rossa / red / rouge.....(SiC) gr. F
0836A/09	ø 22 x 3,0 mm, (5009) bianca / white / blanc.....(Al ₂ O ₃) gr. VF
0836/12	ø 22 x 3,1 mm, (6512) blu / bleu / bleu.....(SiC) gr. VF



Molette a cilindretto, senza gambo, grana: G=grossa, F=fine Cylinder grinders, without shaft, grit: G=coarse, F=fine Meules petit cylindre, sans tige, grain: G=gros, F=fin

0835/7	ø 6 x 25 mm, (4595) marrone / brown / marron.....(Al ₂ O ₃) gr. G
0835/9	ø 6 x 25 mm, (4590) nera / black / noir.....(SiC) gr. G
0835/91	ø 6 x 25 mm, (4592) verde / green / vert.....(SiC) gr. G
0835/8	ø 6 x 25 mm, (4594) rossa / red / rouge.....(SiC) gr. F



Molette con gambo ø 2,35, grana: G=grossa, M=media, F=fine, VF=finissima Grinders with ø 2.35 shaft, grit: G=coarse, M=medium, F=fine, VF=very-fine Meules avec tige ø 2,35, grain: G=gros, M=moyen, F=fin, VF=extra-fin

0833H/05	ø 6 x 12 mm, (4364) rossa / red / rouge.....(Al ₂ O ₃) gr. G
0833H/10	ø 6 x 12 mm, (4560) verde / green / vert.....(SiC) gr. M
0833H/06	ø 6 x 12 mm, (4760) bianca / white / blanc.....(Al ₂ O ₃) gr. VF
0833H/15	ø 6 x 14 mm, (4365) rossa / red / rouge.....(Al ₂ O ₃) gr. G
0833H/13	ø 6 x 14 mm, (4561) verde / green / vert.....(SiC) gr. M
0833H/25	ø 6 x 16 mm, (4366) rossa / red / rouge.....(Al ₂ O ₃) gr. G
0833H/23	ø 6 x 16 mm, (4562) verde / green / vert.....(SiC) gr. M
0833H/27	ø 6 x 16 mm, (4462) grigia / grey / gris.....(SiC) gr. F

Molette impasto silicone


Silicon compound grinders

Meules mélange silicone

(differenti misure e grane sono fornibili su richiesta)

(different sizes and grits are available on request)

(différentes formes et tailles sont fournies sur demande)




Molette lentiforme, senza gambo, grana: M=media, F=fine

Lentiform grinders, without shaft, grit: M=medium, F=fine

Meules lentiformes, sans tige, grain: M=moyen, F=fin

0835A/340	ø 16 mm, grigia / grey / gris	(SiC) gr. M
0835A/320	ø 22 mm, grigia / grey / gris	(SiC) gr. M
0835A/345	ø 16 mm, rosa / pink / rosé	(SiC) gr. F
0835A/325	ø 22 mm, rosa / pink / rosé	(SiC) gr. F




Molette a ruota, senza gambo, grana: M=media, F=fine

Wheel grinders, without shaft, grit: M=medium, F=fine

Meules à roue, sans tige, grain: M=moyen, F=fin

0835A/120	ø 16 x 1,5 mm, grigia / grey / gris.....	(SiC) gr. M
0835A/100	ø 16 x 3,0 mm, grigia / grey / gris	(SiC) gr. M
0835A/220	ø 22 x 3,0 mm, grigia / grey / gris	(SiC) gr. M
0835A/105	ø 16 x 3,0 mm, rosa / pink / rosé	(SiC) gr. F
0835A/223	ø 22 x 3,0 mm, rosa / pink / rosé	(SiC) gr. F
0835A/222	ø 22 x 3,0 mm, bianca / white / blanc.....	(SiC) gr. M
0835A/221	ø 22 x 3,0 mm, verde / green / vert	(SiC) gr. F




Molette a cilindretto, senza gambo, grana: M=media, F=fine

Cylinder grinders, without shaft, grit: M=medium, F=fine

Meules petit cylindre, sans tige, grain: M=moyen, F=fin

0835A/420	ø 6 x 25 mm, grigia / grey / gris	(SiC) gr. M
0835A/421	ø 6 x 25 mm, rossa / red / rouge	(SiC) gr. F
0835A/422	ø 6 x 25 mm, rosa / pink / rosé	(SiC) gr. F




Molette mini punta, senza gambo, grana: M=media, F=fine

mini bits grinders, without shaft, grit: M=medium, F=fine

Meules mini pointe, sans tige, grain: M=moyen, F=fin

0835A/011	ø 3,0 x 25 mm, grigia / grey / gris	(SiC) gr. M
0835A/012	ø 3,0 x 25 mm, rossa / red / rouge	(SiC) gr. F
0835A/013	ø 3,0 x 25 mm, verde / green / vert	(SiC) gr. F
0835A/010	mandrino portapunte / bit-holding chuck / mandrin porte-pointe	



Molette con gambo ø 2,35, grana: G=grossa, M=media, F=fine

Grinders with ø 2.35 shaft, grit: G=coarse, M=medium, F=fine

Meules avec tige ø 2,35 mm, grain: G=gros, M=moyen, F=fin

0833L/10	ø 5,0 x 15 mm, grigia / grey / gris.....	(SiC) gr. G
0833L/20	ø 5,0 x 15 mm, blu / bleu / bleu	(SiC) gr. M
0833L/30	ø 5,0 x 15 mm, bianca / white / blanc.....	(SiC) gr. F
0833L/11	ø 10 x 2,0 mm, grigia / grey / gris.....	(SiC) gr. G
0833L/21	ø 10 x 2,0 mm, blu / bleu / bleu	(SiC) gr. M
0833L/31	ø 10 x 2,0 mm, bianca / white / blanc.....	(SiC) gr. F
0833L/12	ø 10 mm, grigia / grey / gris	(SiC) gr. G
0833L/22	ø 10 mm, blu / bleu / bleu	(SiC) gr. M
0833L/32	ø 10 mm, bianca / white / blanc	(SiC) gr. F